

~\$<>>\$</>>\$</>\$</>\$</>\$



## EC-TYPE EXAMINATION CERTIFICATE

2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres Directive 94/9/EC

- 3 EC-Type Examination Certificate Number : BAS01ATEX2307
- 4 Equipment or Protective System: A TYPE 216 WELLGLASS LUMINAIRE
- 5 Manufacturer: CHALMIT LIGHTING
- 6 Address: 388 Hillington Road, Glasgow, G52 4BL
- 7 This equipment or protective system and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.
- 8 The Electrical Equipment Certification Service, notified body number 600 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential Report No

#### 01(C)0558/1 dated 16 January 2002

- 9 Compliance with the Essential Health and Safety Requirements has been assured by compliance with: EN 50014: 1997 + Amds 1 & 2 EN 50018: 2000 EN 50019: 2000 except in respect of those requirements listed at item 18 of the Schedule.
- 10 If the sign "X" is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.
- 11 This EC-TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified equipment or protective system. If applicable, further requirements of this Directive apply to the manufacture and supply of this equipment or protective system.
- 12 The marking of the equipment or protective system shall include the following:-
  - (E) II 2 G EEx de IIB T\* (see schedule)

This certificate may only be reproduced in its entirety and without any change, schedule included.

File No: EECS 0068/01/016

This certificate is granted subject to the general conditions of the Electrical Equipment Certification Service. It does not necessarily indicate that the apparatus may be used in particular industries or circumstances.



Electrical Equipment Certification Service
Health and Safety Executive
Harpur Hill, Buxton, Derbyshire, SK17 9JN, United Kingdom
Tel: +44(0)1298 28000 Fax: +44(0)1298 28244
internet: www.baseefa.com e-mail: baseefa.info.eecs@hsl.gov.uk

I M CLEARE DIRECTOR 22 January 2002 CONTRACTOR CONTRACTOR



13

#### Schedule

14

STONES TO STONE STONES TO STONES TO STONE STONES TO STONE STONES TO STONES TO STONE STONES TO STONE STONES TO

#### EC-TYPE EXAMINATION CERTIFICATE Nº BAS01ATEX2307

#### 15 Description of Equipment or Protective System

A Type 216 Wellglass Luminaire comprises circular body and cover manufactured from aluminium, brass or gunmetal. The cover is fitted with a wellglass sealed with silicone cement, and the body has an integral increased safety terminal compartment. A line bushing is provided between the terminal enclosure and the main enclosure.

The luminaire can be fitted with either GLS, SON, MBF and Fluorescent lamps, and the associated control gear when required.

Internal and external earth facilities are provided.

The ratings, temperature classification, and ambient temperature range when fitted with each type of lamp are indicated below.

LAMP TYPE	WATTAGE	VOLTAGE	TEMPERATURE CLASSIFICATION	AMBIENT TEMPERATURE RANGE	DELAY TIME BEFORE OPENING (MINUTES)	CABLE RATING
GLS	25 - 100	24 - 250	T4	-50°C to + 55°C	10	90°C
GLS	25 - 200	24 - 240	Т3	-50°C to + 55°C	10	90°C
PAR 38	150	24 - 240	T3	-50°C to + 55°C	10	90°C
SON	50		T4	-50°C to + 50°C	4	70°C
SON	70	200/210/220/230/240/250 50Hz	T4	-50°C to + 40°C	4	70°C
SON/R	70	220/230/240/250/260 60Hz	Т3	-50°C to + 40 °C	4	70°C
MBF/U	50/60		T4	-50°C to + 40 °C	4	70°C
		FL	UORESCENT			
PL 2 Pin	5/7/9/11	110,120 50/60 Hz (5/7/9) 220,230,240,250,260 50/60 Hz	Т6	-50°C to + 55°C	Note 1	70°C
PLC 4 Pin	10/13	220/260 a.c./ d.c.	Т6	-50°C to + 55°C	Note 1	70°C
PL 4 Pin	10/13	12,24,50110,120,130 a.c./d.c.	T6	-50°C to + 55°C	Note 1	70°C
PLC 2 Pin PLC 4 Pin	10/13	220,230,240,250,260 50/60 Hz	Т6	-50°C to + 55°C	Note 1	70°C
PLC 4 Pin	18/26	12,24,50110,120,130, 200,260 a.c. /d.c.	T5	-50°C to + 55°C	Note 1	70°C
PLC 2 Pin PLC 4 Pin	18/26	220,230,240,250,260 50/60 Hz	T5	-50°C to + 55°C	Note 1	70°C
2x PL 4 Pin	10/13	12,24,50,110,120,130 a.c./d.c.	T5	-50°C to + 40 °C	Note I	70°C
x PLC 4 Pin	10/13	220,230,240,250,260 50/60 Hz	T5	-50°C to + 40 °C	Note 1	70°C
x PLC 4 Pin	18	220,230,240,250,260 50/60 Hz	T5	-50°C to + 40 °C	Note I	70°C

Note 1 - These luminaires are fitted with a label indicating that the enclosures shall not be opened when an explosive gas atmosphere is present.

いっというさいさいさいさいというというというというというというというというというというというというと



13 Schedule

#### 14 EC-TYPE EXAMINATION CERTIFICATE Nº BAS01ATEX2307

TO KONTONIO The luminaires may also be fitted with a label indicating that the enclosures shall not be opened when an explosive gas atmosphere is present in place of the delay before opening time.

#### 16 Report No.

BASEEFA Certification Report No. 01(C)0558/1 dated 16 January 2002.

#### 17 Special Conditions For Safe Use

None.

#### 18 **Essential Health and Safety Requirements**

Clause	Subject	Compliance
1.0.2	Analysis of possible operating faults	Manufacturer's Instructions
1.0.3	Special checking and maintenance conditions	No special requirements
1.0.6	Instructions	Manufacturer's Instructions
1.2.2	Components for incorporation or replacement	No user serviceable parts
1.2.4	Dust deposits	Certification for gas atmospheres only
1.2.5	Additional means of protection	Not applicable
1.2.7	Protection against other hazards	BASEEFA Report No. 01(C)0558/1
1.3.5	Hazards arising from pressure compensation	Not applicable
1.5.	General requirements for safety devices	Not applicable
1.6.1	Manual override	Not applicable
1.6.2	Emergency shutdown	Not applicable
1.6.3	Hazards arising from power failure	Not applicable
1.6.5	Placing of warning devices as parts of equipment	Not applicable
2.0.	Category M	Not applicable
2.1.	Category 1	Not applicable
2.2.1	Category 2G	BASEEFA Report No. 01(C)0558/1
2.2.2	Category 2D	Not applicable
2.3.	Category 3	Not applicable
3.	Requirements for protective systems	Not applicable

*こうとうさいさいさいとうといくとうといくとうといといといといといといといといといといといと* 



13

#### Schedule

14

#### EC-TYPE EXAMINATION CERTIFICATE Nº BAS01ATEX2307

#### 19 DRAWINGS

Nu	mber	Sheet	Issue	Date	Description
D2	057	1	-	30.08.01	General Assembly - Type 216 Wellglass Luminaire
D2	057	2		30.08.01	General Assembly - Type 216 Wellglass Luminaire
D2	057	3	1	30.08.01	General Assembly - Type 216 Wellglass Luminaire
*D2	062	1	-	14.09.01	Glazing Data - Types 216, 238, 261, & 261E Luminaires

<sup>\*</sup> This drawing is common to certificates BAS01ATEX2308, BAS01ATEX2309, BAS01ATEX2310, held on EECS files 0068/01/017, 0068/01/018, and 0068/01/019 respectively.

This certificate may only be reproduced in its entirety and without any change, schedule included.

BASEEFA List Keywords 2WELLLUM THE STATE OF THE S



# Issued 17 December 2003 Page 1 of 3

## SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC

3 Supplementary EC - Type

**BAS01ATEX2307/1** 

**Examination Certificate Number:** 

Equipment or Protective System: A Type 216 Wellglass Luminaire

5 Manufacturer:

**Chalmit Lighting** 

6 Address:

1

4

Glasgow. G52 4BL

7 This supplementary certificate extends EC – Type Examination Certificate No. **BAS01ATEX2307** to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

The original certificate was issued by The Electrical Equipment Certification Service, Notified Body Number 0600, which retains responsibility for its original documentation. Baseefa (2001) Ltd., Notified Body Number 1180, is responsible only for the additional work relating to this supplementary certificate and any other supplementary certificate it has issued.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa (2001) Ltd. Customer Reference No. 0068

Project File No. 03/0977

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa (2001) Ltd.

Health and Safety Laboratory Site, Harpur Hill,
Buxton, Derbyshire SK17 9JN
Telephone +44 (0) 1298 28255 Fax +44 (0) 1298 28216
e-mail info@baseefa2001.biz web site www.baseefa2001.biz
Registered in England No. 4305578 at 13 Dovedale Crescent, Buxton,
Derbyshire, SK17 9BJ

R S SINCLAIR
DIRECTOR
On behalf of
Baseefa (2001) Ltd.



# Issued 17 December 2003 Page 2 of 3

13 Schedule

Certificate Number BAS01ATEX2307/1

# 15 Description of the variation to the Equipment or Protective System

#### Variation 1.1

14

To permit a 70W SON lamp to be used in a maximum ambient temperature of 45°C.

The ratings, temperature classification and ambient temperature range when fitted with each type of lamp are replicated below.

LAMP TYPE	WATTAGE	VOLTAGE	TEMPERATURE CLASSIFICATION	AMBIENT TEMPERATURE RANGE	DELAY TIME BEFORE OPENING (MINUTES)	CABLE RATING			
GLS	25 - 100	24 - 250	T4	-50°C to + 55°C	10	90°C			
GLS	25 - 200	24 - 240	T3	-50°C to + 55°C	10	90°C			
PAR 38	150	24 - 240	T3	-50°C to + 55°C	10	90°C			
SON	50		T4	-50°C to + 50°C	4	70°C			
SON	70		T4	-50°C to + 40°C	4	70°C			
SON	70	200/210/220/230/240/250 50Hz	T4	-50°C to + 45°C	10	70°C			
SON/R	70	220/230/240/250/260 60Hz	T3	-50°C to + 40°C	4	70°C			
MBF/U	50/60		T4	-50°C to + 40°C	4	70°C			
	FLUORESCENT								
PL 2 Pin	5/7/9/11	110,120 50/60 Hz (5/7/9) 220,230,240,250,260 50/60 Hz	Т6	-50°C to + 55°C	Note 1	70°C			
PLC 4 Pin	10/13	220/260 a.c./ d.c.	T6	-50°C to + 55°C	Note 1	70°C			
PL 4 Pin	10/13	12,24,50110,120,130 a.c. /d.c.	T6	-50°C to + 55°C	Note 1	70°C			
PLC 2 Pin PLC 4 Pin	10/13	220,230,240,250,260 50/60 Hz	Т6	-50°C to + 55°C	Note 1	70°C			
PLC 4 Pin	18/26	12,24,50110,120,130, 200,260 a.c. /d.c.	T5	-50°C to + 55°C	Note 1	70°C			
PLC 2 Pin PLC 4 Pin	18/26	220,230,240,250,260 50/60 Hz	Т5	-50°C to + 55°C	Note 1	70°C			
2x PL 4 Pin	10/13	12,24,50,110,120,130 a.c./d.c.	T5	-50°C to + 40°C	Note 1	70°C			
2x PLC 4 Pin	10/13	220,230,240,250,260 50/60 Hz	T5	-50°C to + 40°C	Note 1	70°C			
2x PLC 4 Pin	18	220,230,240,250,260 50/60 Hz	T5	-50°C to + 40°C	Note 1	70°C			

Note 1 -These luminaires are fitted with a label indicating that the enclosures shall not be opened when an explosive gas atmosphere is present.

#### 16 Report Number

03(CI)0977 dated 17 December 2003

#### 17 Special Conditions for Safe Use

None

## 18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.



# Issued 17 December 2003 Page 3 of 3

19 Drawings and Do	cuments		
Number	Issue	Date	Description
D2057 Sheets 1 to 3 Inc.	01	11.11.03	General Assembly - 216 Wellglass Luminaire



# SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC

3 Supplementary EC - Type Examination Certificate Number: **BAS01ATEX2307/2** 

4 Equipment or Protective System:

A Type 216 Wellglass Luminaire

5 Manufacturer:

Chalmit Lighting

6 Address:

1

Glasgow. G52 4BL

7 This supplementary certificate extends EC – Type Examination Certificate No. **BAS01ATEX2307** to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

The original certificate was issued by The Electrical Equipment Certification Service, Notified Body Number 0600, which retains responsibility for its original documentation. Baseefa (2001) Ltd., Notified Body Number 1180, is responsible only for the additional work relating to this supplementary certificate and any other supplementary certificate it has issued.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa (2001) Ltd. Customer Reference No. 0068

Project File No. 04/0695

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa (2001) Ltd.

Health and Safety Laboratory Site, Harpur Hill,
Buxton, Derbyshire SK17 9JN
Telephone +44 (0) 1298 28255 Fax +44 (0) 1298 28216
e-mail info@baseefa2001.biz web site www.baseefa2001.biz
Registered in England No. 4305578 at 13 Dovedale Crescent, Buxton,
Derbyshire, SK17 9BJ

R S SINCLAIR
DIRECTOR
On behalf of
Baseefa (2001) Ltd.

Simbolis S



# Issued 1 October 2004 Page 2 of 2

13

14

# **Schedule**

Certificate Number BAS01ATEX2307/2

# 15 Description of the variation to the Equipment or Protective System

#### Variation 2.1

To permit an alternative line bushing to Baseefa04ATEX0317U and optional minor modifications to the lamp reflector and the internal earth assembly.

# 16 Report Number

None.

## 17 Special Conditions for Safe Use

None.

## 18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

# 19 Drawings and Documents

Number	Issue	Date	Description
D2057 Sheets 1 to 3 Inc.	02	13.09.04	General Assembly - 216 Wellglass Luminaire



# Issued 14 March 2006 Page 1 of 2

# SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC

3 Supplementary EC - Type

**BAS01ATEX2307/3** 

Examination Certificate Number: Equipment or Protective System:

A Type 216 Wellglass Luminaire

5 Manufacturer:

**Chalmit Lighting** 

6 Address:

1

388 Hillington Road, Glasgow. G52 4BL

7 This supplementary certificate extends EC – Type Examination Certificate No. **BAS01ATEX2307** to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

The original certificate was issued by The Electrical Equipment Certification Service, Notified Body Number 0600, which retains responsibility for its original documentation. Baseefa (2001) Ltd., Notified Body Number 1180, is responsible only for the additional work relating to this supplementary certificate and any other supplementary certificate it has issued.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. 0068

Project File No. 06/0188

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

#### Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa (2001) Ltd
Registered in England No. 4305578 at the above address

R S SINCLAIR
DIRECTOR

On behalf of Baseefa (2001) Ltd.



# Issued 14 March 2006 Page 2 of 2

13

14

# **Schedule**

**Certificate Number BAS01ATEX2307/3** 

15 Description of the variation to the Equipment or Protective System

Variation 3.1

Introduction of a captive cover screw arrangement

16 Report Number

None

17 Special Conditions for Safe Use

None

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

Number	Issue	Date	Description
D2057 Sheets 1 to 3 Inc.	03	9/03/06	General Assembly - 216 Wellglass Luminaire



# Issued 5 November 2013 Page 1 of 2

# SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

Equipment or Protective System Intended for use in Potentially Explosive Atmospheres

Directive 94/9/EC

3 Supplementary EC - Type

**BAS01ATEX2307/4** 

Examination Certificate Number: Equipment or Protective System:

A Type 216 Wellglass Luminaire

5 Manufacturer:

Chalmit Lighting

6 Address:

388 Hillington Road, Glasgow, G52 4BL

7 This supplementary certificate extends EC – Type Examination Certificate No. BAS01ATEX2307 to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

Baseefa Customer Reference No. 0068

Project File No. 13/0857

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <a href="http://www.sgs.com/en/Terms-and-conditions.aspx">http://www.sgs.com/en/Terms-and-conditions.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

#### SGS Baseefa Limited

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN

R S SINCLAIR GENERAL MANAGER On behalf of SGS Baseefa Limited



# Issued 5 November 2013 Page 2 of 2

13

# **Schedule**

14

## Certificate Number BAS01ATEX2307/4

# 15 Description of the variation to the Equipment or Protective System

#### Variation 4.1

To note changes to drawing D2062. These changes are related to clarification of lamp test pressures, together with drawing names and other minor dimensional changes that do not affect certification.

## 16 Report Number

None.

## 17 Specific Conditions of Use

None additional to those listed previously.

## 18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

## 19 Drawings and Documents

Number	Sheet	Issue	Date	Description
D2062	1 of 1	03	14/10/05	Glazing data for Silcoset 152

This drawing is common to BAS01ATEX2307, BAS01ATEX2309 and BAS01ATEX2010 and held with the former